



Processing Equipment, Inc.

Phone

1-859-543-8524

FAX

1-859-543-8534

E-mail: process@pro-cess.com

Website: www.cat-vacuum-collectors.com


Commercial Industrial Vacuum Cleaning Attachments

Hose

1-1/2"-2"


Series 'F' Crushproof All Plastic Hose

Medium duty for use in all general purpose **wet or dry commercial** to medium **industrial vacuum** environments, plus **portable carpet extraction**. Hose is flexible and light weight with smooth interior for efficient air flow.




Series 'GT' Plastic Helix Supported PVC Hose

Clear, medium to heavy duty PVC hose, with grey plastic support helix. Hose is **smooth bore** for excellent air flow efficiency.




Series 'N' Wire Supported PVC Hose

Multi purpose hose reinforced with synthetic yarn for added strength and durability, for use in commercial and industrial **wet or dry vacuuming** environments. Hose is **extremely flexible** to handle tight bend radius requirements.



Series 'U' Wire Supported Urethane Hose

Light weight, flexible, **polyurethane** material, with steel wire support helix. Offers **high abrasion, puncture and tear resistance** with **wide operating temperatures** ranging from **-40° F to +200° F**. Resistant to chemicals, oils and fungus.









StatPath Plastic Static Conductive Hose

The plastic blend used in this new hose's construction contains carbon black, which provides a permanent static conductive surface resistivity of $10^4 - 10^6$. StatPath_™ offers durability, flexibility and good chemical resistance. It is lightweight and crushproof. Available in black. Static conductive hose cuffs are available for certain I.D. Hoses.







Floor Tools

1-1/2"

Use with Floor Rod #800015	Part No.	Description
	800070	12" Wide Mouth Gulper Tool: For picking up large object and bulk material
	800108	14" Fiber Floor Tool: For use on concrete floors with smooth or rough surfaces
	800109	14" Squeegee Floor Tool: For liquid and slurry pickup
	800111	14" Brush Floor Tool: A versatile tool for cleaning all floor surfaces
	800110	14" Felt Floor Tool: For cleaning wood, tile or other smooth floors
	800107	14" Carpet Floor Tool: For general carpet cleaning. Equipped with Smooth Glide rear shoe.











Overhead Tools

1-1/2" & 2"

These tools thread onto wall rods	Part No.	Description
	800026	10" Wall Brush: Cast aluminum with bristle brush insert. For use 1-1/2" with #800019 Wall Rod. Use as a hand tool with #150AH Swivel Adapter. Convert to 2" overhead tool with #32AHE Adapter
	800022	5" Round Dusting Brush: Cast aluminum with brush insert. For use 1-1/2" with #800019 or #875019 Wall Rods. Use as a hand tool with #150AH Swivel Adapter. Convert to 2" overhead tool with #32AHE Adapter
	800030	4" – 6" Pipe Cleaning Tool: Cast aluminum with brush insert. For use 1-1/2" with #800019 or #875019 Wall Rods. Use as a hand tool with #150AH Swivel Adapter. Convert to 2" overhead tool with #32AHE Adapter
	800032	6" - 12" Pipe Cleaning Tool: Cast aluminum with brush insert. For use 1-1/2" with #800019 or #875019 Wall Rods. Use as a hand tool with #150AH Swivel Adapter. Convert to 2" overhead tool with #32AHE Adapter







Hand & Small Area Cleaning Tools

1-1/2"

These tools slip fit onto hose end	Part No.	Description
	800038	6" Wide Hand Tool with Brush: Cast aluminum brush with no tools removable bristle insert.
	800024	3" Round Dust Brush:
	800022	5" Round Dust Brush: Cast aluminum brush with stiff bristles for loosening debris.
	800035	12" Plastic Crevice Tool:
	800104	28" Plastic Crevice Tool:
	611A1	12" Aluminum Crevice Tool:
	801019	17" Machine Cleaning Tool: Rubber flexible nozzle tapered to 3/4" for cleaning in tight places. Recommended for electrical equipment, core boxes, and places where a rigid tool is not suitable.
	801036	10" Blowing Nozzle: Provides high velocity air stream for blowing loose debris in tight places. Can also be used with vacuum.
	801029	36" Bulk Cleaning Tube: For sump cleaning and handling of bulk material. See also Utility Tool. 16 Ga. aluminum.
	801035	36" Bulk Cleaning Tube with Breather: Designed with an air breather tube to allow tool end to be submerged in bulk dry material or liquid. Painted Steel.

Special Adapters

1-1/2" & 2"

	Part No.	Description
	32AHE	Extension Handle Adapter: Allows use of any 1-1/2" overhead tool with #800205 Wall Rod
	800020 8002011	1.5" Hose Coupling: 2.0" Hose Coupling: Chrome plated with friction slip fit
	none	Custom Fabricated Splitters: Specify two inlet sizes and one outlet size.
	VC-150 VC-200	1.5" Inlet Valve: 2.0" Inlet Valve: For use #A150 1.5" and A200 2" Hose Nipples. Die Cast Zinc with plated spring loaded cover plate. Self-closing design.
	VC-180 VC-280	1.5" Inlet Valve – Spencer Type: 2.0" Inlet Valve – Spencer Type: For use #A180 1.5" and A280 2" Hose Nipples. Die Cast Zinc with plated spring loaded cover plate. Self-closing design.
	VC-250 VC-300 VC-400	2.5" Inlet Valve: 3.0" Inlet Valve: 4.0" Inlet Valve: For use #A250, A300 and A400 Hose Nipples. Painted Sch 80 body with spring loaded cover plate. Self-closing design.

Special Adapters

1-1/2" & 2"

Photo not available

A150 A200 1.5" **Hose nipple:** Chrome plated steel
A250 A300 2.0" **Hose nipple:** Chrome plated steel
A400 2.5" **Hose nipple:** Painted Steel
 3.0" **Hose nipple:** Painted Steel
 4.0" **Hose nipple:** Painted Steel



150PV 1.5" **Palm Valve**
200PV 2.0" **Palm Valve**

Smooth acting thumb valve for quick operator air control. Aluminum construction. Slick design.



150AH 1.5" **Tube Swivel Connector:**
 Use with any 1.5" overhead tool to convert to hand tools.



150AWC 1 1/2" x 8" **Aluminum Adapter With Metal Tool Coupling:**

Use with any 1.5" hand tool to ensure static conductivity. Provides swivel capability.



200CM 2" x 8" **Aluminum Adapter With Metal Tool Coupling:**
 Use 2" hose with any 1.5" hand tool to ensure static conductivity. Provides swivel capability.







16C 2" x 1-1/2" **Wall Rod Adapter:**
 Use 2" hose with any 1.5" wall rod or extension. Aluminum with slip fit connections.

Photo not available
 15AHS
 20AHS

1.5" Aluminum Swivel Threads:
2.0" Aluminum Swivel Threads:
 Optional handle swivel ends for explosion proof applications.

Operator Handles

1-1/2"

These handles slip fit onto hose end	Part No.	Description
	800015 21CH	54" Aluminum Floor Rod with Swivel End: 54" Chrome Steel Floor Rod with Swivel End Lightweight handles for use with all 1-1/2" floor tools.
	800019	Wall Rod: Lightweight aluminum rod for use with all 1-1/2" overhead cleaning tools.
	800064	Straight Extension Rod: Lightweight aluminum extension rod for use with #80019 and #875019 wall rods. 5 foot long sections slip fit together.
	875019	Wall Rod with Adjustable Knuckle Joint: Lightweight aluminum rod for cleaning ledges and beams. Use with all 1-1/2" overhead cleaning tools.

Operator Handles

2"

These handles slip fit onto hose end	Part No.	Description
--------------------------------------	----------	-------------



800201 Floor Rod:

Lightweight aluminum handle for use with 2" floor tools.



800205 Wall Rod:

Lightweight aluminum rod for use with all 1-1/2" overhead cleaning tools.










Type 30 Chrome Steel Floor Rod:

For use with #700 2" Wheeled Floor tool ONLY.

Floor Tools

2"

Master Nozzle and Adapters	Part No.	Description
	800225	12" Wide Mouth Gulper Tool: For picking up large object and bulk material
	800228 800231	14" Fiber Floor Tool: For use on concrete floors with smooth or rough surfaces
	800227 800230	14" Squeegee Floor Adapter: 18" Squeegee Floor Adapter: For liquid and slurry pickup
	800226 800229	14" Brush Floor Adapter: 18" Brush Floor Adapter: A versatile tool for cleaning all floor surfaces
	800223 800235	14" Felt Floor Adapter: 18" Felt Floor Adapter: For cleaning wood, tile or other smooth floors
	800212	12" Wide Mouth Gulper Tool: For picking up large object and bulk material
	700	18" Wide Wheeled Floor Tool: Aluminum cast with adjustable height wheels makes this an excellent choice for general wide area cleaning. Comes with brush and squeegee adapter blades.

Hand & Small Area Cleaning Tools

2”

These tools slip fit onto hose end	Part No.	Description
	800221	6” Wide Hand Tool with Brush: Cast aluminum brush with no tools removable bristle insert.
	800211	5” Round Dust Brush: Cast aluminum brush with stiff bristles for loosening debris.
	800224	10” Hand Brush: Cast aluminum brush with stiff bristles for loosening debris.
	321	Car Wash Type “Duck Foot”: Tough PVC, yellow utility hand tool.
	802010	36” Bulk Cleaning Tube: For sump cleaning and handling of bulk material. See also Utility Tool. 16 Ga. aluminum.
	802035	36” Bulk Cleaning Tube with Breather: Designed with an air breather tube to allow tool end to be submerged in bulk dry material or liquid. Painted Steel.
	800228	40” Steel Crevice Tool Painted 16 Ga. with square cut end.

Special Storage Hoppers

**3/4, 1, 1.5, 2 Cu Yd
15, 30, and 55 Gal**



Sealed Hoppers

3/4 cu. yd., 1.0 cu. yd.
1.5 cu. yd., 2.0 cu. yd

**Inter-connection
hose extra.**



TOP HAT Separator

in Steel
Aluminum



Transfer Lid Separator

Bulk Hopper High Vacuum Series

In-line material collection hoppers roll forward and self unload.

Fabricated of 1/4" plate steel and designed for severe, industrial use.

Standard features:

- » Stiffened to withstand 20" Hg.
- » Internal baffle plate
- » Roll forward safety chain
- » painted safety yellow

Options:

- » Chip screen and drain valve
- » 6" heavy duty casters
- » Galvanizing

Top Hat Dry Only Drum Filler

Turn any 55 Gallon drum into a cyclone separator. Capture 85% of fines before they get to your filters.

Fabricated of 12 Ga. painted steel or 11 Ga. aluminum.

Options:

- » Inlet wearplate
- » Drum Dolly

Please specify inlet and outlet hose connection size at time of order, 1-1/2" standard.

Drum not included. Connection hose and dolly extra

Drum Transfer Lid for Wet or Dry

Load material directly into standard drums.

Not as efficient as the Top Hat, above. Used mostly for wet pickup (optional drain valve shown).

Fabricated of 12 Ga. painted steel or 11 Ga. aluminum.

Available in Steel or Aluminum

Options:

- » Float shut-off valve
- » Drum Dolly

**Connection hose extra
Drum not included**



WET Separator

Wet Separator

Intended for use with liquids only. 15 US Gallons.

Comes complete with float valve shut-off, drain valve, and cart assembly as shown.

Available in steel or 304 ss.

Fabricated in painted steel or polished 304 stainless steel.

Connection hose extra

Vacuum Systems



DuroVac Compact Series

2.5 to 7.0 Hp

Regenerative vacuum producer
99.9% at 0.4 micron filtration
- as standard
Complete with inline filter and starter



DuroVac PD Series

7.5 and 10 Hp

Positive displacement vacuum producer
Choose the filtration and storage that best suits!
Handles hoses up to 200 ft. with tremendous power



DuroVac Regen Series

7.0 and 10 Hp

Super-quiet regenerative vacuum producer
Choose the filtration and storage that best suits!
Control powders like carbon black without upgrade



DuroVac DV Series

15 to 30 Hp

Positive displacement vacuum producer
99.9% at 0.4 micron filtration - *as standard*
External storage up to 3 cubic yards



Custom Central Vacuums Multi Operator and Loader Type

Systems custom designed to
your *specific* requirements.

5 Hp to 300 Hp
Vacuum to 14" Hg
Flow rates to 30,000 SCFM
Choice of filtration systems
Choice of discharge devices
Piping systems that do not
plug!

Systems are designed to use
the proper vacuum producer
for your specific application.



DuroVac DV Platform Series

The centrifugal DuroVac offers
awesome service life with low noise
in a pre-tested package.

15 to 30 Hp
Vacuum to 100" S.P. (7.5" Hg)
Flow to 1300 ACFM
Up to 195.1 Sq. Ft. filtration
6.0 cubic feet of usable storage
Optional pulse jet cleaning

Supports up to ten (10) operators at
the same time even with very long
piping systems.